



Best of Breed API Middleware for Mainframe Integration



Table of Contents

- Executive Summary 1
- Introduction 2
- The API Architecture..... 3
 - What is an API?..... 3
 - Implementing an API Architecture 4
 - Why API-enable the Mainframe? 6
 - API Middleware for mainframe users6
- Mainframe Considerations 8
 - Technology-related factors..... 8
 - Lessons learned from past mainframe integration projects..... 9
- Mainframe API Middleware 11
 - Basic functions..... 11
 - Best-of-Breed Characteristics 12
 - Development / Deployment 13
 - Operations..... 17
 - Flexibility 18
- Summary 20



Executive Summary

In today's IT marketplace it is easy to think that mainframes are being marginalized more and more in companies across the world. Indeed, not so long ago the story was that the mainframe was the dinosaur, headed towards global extinction. This forecast has, of course, been thoroughly disproved, as many companies continue to gain great business benefit from their mainframe investments.

The strategic thinking has evolved; many companies that were developing strategies to move off the mainframe now realize it is much more effective to keep the mainframe and its core applications at the heart of the business while building new capabilities around it. These new capabilities can unlock the business value of the mainframe in conjunction with Enterprise Resource Planning (ERP) platforms and other business applications. The world of the 'connected mainframe' is very much here. Companies can continue to benefit from the mainframe's unsurpassed levels of availability, scalability and performance while gaining all the advantages of leveraging new channels, markets and opportunities.

"The strategic thinking has evolved; many companies that were developing strategies to move off the mainframe now realize it is much more effective to keep the mainframe and its core applications at the heart of the business while building new capabilities around it."

The most recent demonstration of this shift is the emergence of the so-called API model, which enables the aggregation of a diverse set of IT assets in order to deliver business services that support operations more effectively, with minimal effort and without the need for specialized skills. Essentially, systems of record business activities are made available externally through the use of APIs that can then be embedded into phone apps, web pages, chips and any other desired delivery channel.

Companies with large mainframe investments will immediately appreciate the benefits of the API model. It has similarities to the service-oriented architecture (SOA) movement, but with the major difference that APIs require far less skill to use and lend themselves to rapid development. At a stroke, years of mainframe investment becomes accessible to business platforms and applications, including SAP, Oracle, Salesforce, ServiceNow and Worldpay. Mainframe API-enablement allows you to take full advantage of mainframe data together with business applications and processes, as well as technological developments such as phone apps, tablets and the Internet of Things (IoT). These different technology investment areas can feed off each other, creating maximum value and improving the return on assets.

However, no change is without risk. Executives of mainframe-oriented companies are often uneasy about allowing the mainframe world to merge with the rest of the IT structure. For example, concerns abound about preserving service levels and maintaining security and integrity, and there is also a general



feeling that extensive retraining is going to be needed. The reality is that generic tools developed without considering special mainframe needs will not do the job effectively. Success or failure with a mainframe API model will be governed, to a large extent, by the effectiveness of the tools to support this highly specialized environment, and so companies should look for toolsets that are specifically oriented to mainframe API enablement, deployment and operations.

This paper considers the topic of mainframe API enablement, and identifies the best-of-breed characteristics to look for in evaluating any mainframe API middleware toolset, in order to help companies make the decision that will best suit their individual needs.

Introduction

Despite years of predictions of their demise, many companies still have millions of dollars invested in their IBM mainframe solutions, encompassing application code, skills, scripts and general working practices and procedures. Even with the wide range of modern technology, mainframes still offer an ideal platform for business critical computing, offering scalability, reliability and predictability with the operational efficiency of a 'single system' perspective.

Rather than taking the high-risk approach of replacing these mainframes and thereby throwing away these huge investments, most mainframe users are instead looking for ways to increase the return on these assets by placing them squarely at the center of the modern computing world. This strategy offers the possibility of leveraging the existing mainframe portfolio while at the same time exploiting the advantages of different technologies and delivery channels, maximizing opportunities for business productivity, efficiency and overall success.

One of the main challenges, however, is to bring the different technology worlds together while at the same time maintaining enough separation to avoid contamination issues.

In addition to managing risk, the challenge points to a skills problem -- trying to find developers who are equally expert in mainframe programming and later technologies such as JSON, OAuth and NodeJS can be extremely difficult and expensive. Surely there must be a way to keep the mainframe and web-based worlds separate but connected in such a way that risks are minimized?

Service oriented approaches emerged as one way to try to address this integration issue. The concept was to enable business application code, processes and data to be assembled into 'services' that can be called externally to execute a standalone business function, such as 'Place Order'. When the 'Place Order' service is called, the tooling 'orchestrates' the flow between the various components to replicate the order process to provide the desired result. However early architectures such as SOA were very standards-based and formal about the way these services are driven, and as a result building the front end calls to these services is quite skills-dependent. At the same time, companies have realized that new platforms



like phones, tablets and the Internet of Things could offer new delivery channels for new solution types. The digital marketplace has started to emerge, and one key characteristic is the speed with which it moves. New application innovations need to be seized on quickly in order to compete. A faster, simpler way was needed to enable developers to build solutions that consume these services.

Enter the API (Application Programming Interface) model. The API model is based around modern linkage techniques like REST where the call to drive some back end service is as simple as what programmers would generally think of as an API call; hence the name. The API model has in turn spawned the API Economy, a digital strategy covering an ecosystem of suppliers and developers where developers can rapidly pick up APIs, for example from a social exchange or marketplace, and quickly bring new solutions to market. It worth noting in passing that although the API model may look completely different from other service-oriented approaches, the same concept remains of having a back-end service that can be driven externally; it is just the method of achieving this that is different.

The API model offers an ideal opportunity for mainframe users to bring their existing assets into play as part of broader, multi-channel solutions, but the absolute key will be to API-enable the mainframe with the right tools in place, to provide the protection layer to prevent any contamination while at the same time offering the speed of delivery expected in modern business operations. This paper will focus on some of the key aspects of these critical tools and the respective best of breed characteristics.

The API Architecture

Although more and more companies are becoming familiar with the API model, there are plenty of opportunities for confusion. This is particularly the case for some mainframe users who are used to thinking about 'API' in a different sense. Therefore, a quick recap is in order.

What is an API

The key of the API model unsurprisingly, is the concept of an API. Much confusion stems from the fact that a term familiar to many programmers is being used to cover a similar but distinct concept. In the mainframe world, a CICS or IMS programmer tends to think of API as the Application Programming Interface to be used to call a particular function provided by the CICS or IMS platform, the database, the operating system or whatever. In other words, it is one or more lines of code, supplying parameters as laid out in a specified 'API', driving the desired function in the underlying system software. A mainframe programmer is likely to view an API call as a piece of distinct, technical functionality that is only a tiny part of a larger business application.

The API in API Economy terms is in principle not dissimilar in that it is a way for one component to call some sort of activity provided by another, frequently in the sense of a front-end component driving a backend 'system of record' or 'legacy' one. The driver of the service is referred to as the API 'consumer', and the provider of the service as the API 'provider'. The first clue to a difference in usage is right there; rather than executing a technical command such as reading from a database, this usage of 'API' refers to the driving of a discrete piece of business functionality, or 'service'. The big issue for mainframe users is



that this 'service' may well not exist in isolation but be part of a larger application. A major part of the work to API-enable the mainframe is actually to define these services and orchestrate the relevant application parts to deliver it on request. Think for example of a 'place an order' service. In mainframe application terms, placing an order may just be one particular menu in the order entry interface; in order to be usable externally, work will be needed to carve out this function and give it a programmable interface. Once the mechanism has been provided to call the service, the calls need to be built in to whatever the delivery channel needs for the use in question. This might be as a widget on a web page, a phone App or perhaps an automatically triggered link from a chip in a car or some other intelligent device in the Internet of Things. The diagram below provides a simple illustration of a mainframe API to hook mainframe price quotes into a phone-based price comparison App.




Figure 1: An illustration of an API call

It is worth noting that in the API Economy, 'API' can sometimes be assumed to encompass both the consumer and provider parts, although API providers normally regard the term as referring to the services that they choose to make publicly available for external consumption. Perhaps more accurately, the back-end work and the connectivity mechanism to drive it tend to be referred to as 'API-enabling' the business systems. This paper will not spend much time on the front end challenge of building the calls into the Apps or widgets or whatever, but instead will concentrate on the issues of API-enabling the mainframe, to make selected pieces of business functionality publicly available for building into new solution types that can be delivered over a wide range of channels.

Implementing an API Architecture

API architecture is really a natural evolution of early service oriented architectures that came to prominence in the last fifteen years. It retains the basic concept of some sort of 'back-end' business service that can be driven externally, but the API approach carries the independence of the service consumer further. Previous approaches depended on relatively technical and complex programming to



invoke a back-end or legacy service, making it something that was normally done in-house, within the same company boundaries as the business services themselves. By contrast, in the API world, while the building blocks for the services are still provided by the business service owner, the consumers of those services are often components built by third-party developers, possibly with specific device expertise for example, with the invocation often being as simple as a call to a URL. Since they are easier to use, developers can go to online marketplace to view available business services and build them in to the solutions they are providing. The API approach has much less restrictive skills requirements and offers greater opportunities for flexibility and innovation.

However, even the simpler and more flexible API approach has specific challenges that must be addressed. For example, once the service request has been passed to the service provider, the service provider still needs to handle all the necessary activities such as managing security, controlling traffic volumes, orchestrating the legacy components to deliver the requested service and delivering the results. These are just the practical challenges of course; there are also the usual challenges around what functionality a company is prepared to expose externally and to whom, and how to keep any external activities from interfering with internal systems of record.

An API architecture is therefore an essential requirement for successful, enterprise-class API enablement, and this is particularly important for mainframe users who rely on their enterprise-class reliability, scalability, security and performance. It is worth spending a few moments considering what types of functionality and supporting activities will be required to deliver a successful API deployment.

These include:

- Support for a wide range of delivery channels (e.g. phone Apps, IoT chips)
- An environment to attract and enable API-based solution developers
- An API middleware layer to make business functionality available to API consumers safely and reliably
- Strategy and planning activities to make the optimal set of APIs available
- Governance activities to manage partner involvement and to ensure business cases are met

The diagram below illustrates the make-up of a generalized API architecture.




Figure 2: The API Architecture

Source:- Lustratus



Having clarified what sort of architecture is required to succeed in the API Economy, the next area to tackle within the overall theme of this paper is the applicability of the API Economy to a mainframe environment.

Why API-enable the Mainframe

The reality is that API-enabling mainframes is a key topic for most major companies – indeed, IBM itself now places the API model firmly in the mainframe world as an important and relevant development. There are a number of reasons for the appeal of the API model to mainframe-oriented companies. The benefits that attract mainframe companies can be summarized as:

- Improved return on assets
- Wider and deeper market reach
- Faster time-to-market / increased agility
- Opportunities for new revenue streams
- Mitigation of disintermediation

The first point has already been touched upon. Over the years, companies have invested heavily in their mainframe environments, and financial executives in particular are keen to ensure that these investments bring the maximum possible returns. But mainframe assets in general are fairly difficult to access from the outside. There are connectivity issues, syntactic and semantic issues at the invocation level, and a huge skills chasm between mainframe and other IT staff. An API approach offers a way to overcome these issues. It addresses the connectivity and invocation problems, and cunningly bridges the skills chasm by enabling each skills group to concentrate on developing services. This is a key point – instead of telling a mainframe COBOL programmer that he has to work with OAuth and JSON, or a phone App developer that she must work with COBOL, each person is enabled to develop in his or her own environment.

One of the main reasons for creating APIs is to make them available to solution developers working in modern delivery environments. By enabling these developers to rapidly build new solutions that bring business to the company through APIs, innovation is greatly accelerated. Whether the work is done by third party developers or in-house departments, new solutions can be quickly brought on line, delivering new channels and ways for customers to buy. New revenue streams may be created by offering an innovative new solution to customers and consumers and companies can respond much more quickly to both new opportunities and threats.

It is even possible that an API approach can mitigate the threat of disintermediation. By providing APIs to drive business activities as close as possible to the buyer, it reduces the risk of some other party getting into the gap and cutting the provider out. All these potential benefits support the crucial importance of the API model for mainframe users.

API Middleware for mainframe users

Having recognized the potential value of the API approach for mainframe users, before moving on to general mainframe considerations, it is worth highlighting the key section in the center of the API Architecture diagram above; the API Middleware layer. In essence, the API Middleware layer plays



a similar role as middleware plays in other IT solutions. It sits between the client level and the systems of record, translating the desires of the client into execution within the core systems of record. Typical roles of the API Middleware layer are:

- Provide a connectivity bridge between the requestors and the back end systems of record
- Handle format and mapping requirements between differing formats and protocols at either end
- Orchestrate the necessary back-end components to deliver the requested business service
- Securely authenticate and protect usage of the systems of record layer
- Satisfy systems management, security, analytic and audit requirements for governance

In some API architecture implementations, the API Middleware layer is fairly minimal. This is the case for example where the 'back-end' systems of record are already packaged as programmable services, perhaps accessed through RESTful interfaces. Indeed, for these simpler environments a generic layer of API Middleware is sufficient to meet most needs, and for this reason it is common for API Management tools to include a generic subset of API Middleware in their offerings. This generic layer typically supports simple web service and SOAP calls and sometimes provides some limited level of orchestration support.

However, for mainframe users the API Middleware layer is absolutely key. Many applications, services and processes will not be available through a simple call interface. A mainframe-specific layer will be needed to handle all the complicated mainframe-specific resources like 3270 applications, CICS and IMS transactions, mainframe databases and corporate systems of record processes. This mainframe-specific layer of API Middleware, will be critical for delivering a successful API-enabled environment while mitigating the inherent risk. The diagram below indicates how the mainframe-specific API tools such as Adaptive Integration Fabric from Adaptigent and IBM z/OS Connect relate to the generic API Management tools mentioned above in terms of the basic architecture.




Figure 3: API Middleware packaging into generic and mainframe-specific layers



Mainframe Considerations

Before looking at the mainframe-specific API Middleware layer in more detail, there are a number of other special mainframe-related considerations that must be taken into account. On the one hand, there are a number of technology-related factors that are either unique or particularly relevant to mainframes, and on the other there is a considerable body of experience built up in mainframe integration projects of the past. The idea of integrating the mainframe more widely is not new; it has gone through numerous iterations including messaging middleware, ESBs and SOA before arriving at APIs. The lessons learned can drastically shortcut the effort to API-enable the mainframe while increasing the likelihood of a successful project.

Technology-related factors

There are four main categories of technology-related factors that users should consider when embarking on API-enabling the mainframe:

- Applications and resources
- Environment
- Unique mainframe attributes
- Mainframe skills

Most mainframe systems of record embody applications, environments and resources that are alien to those not steeped in mainframe tradition. The IBM transaction processing products, CICS and IMS, provide a complete environment in which to run high volumes of transactions, reliably and effectively. CICS is ubiquitous, used by almost all mainframe establishments, while IMS is more specialized but heavily used in the finance industry in particular. Non-IBM products such as CA-IDMS, CA-Datacom, CA-IDEAL, Natural and Adabas are also quite common. In programming terms, COBOL is by far the most popular language, although PL/1 has its fans. The DB2 database system and the WebSphere MQ messaging middleware may be a little less inscrutable to outsiders due to their existence on non-mainframe platforms, but other system facilities such as RACF and SAF are largely unknown outside of the mainframe. So any toolset designed to API-enable the mainframe must be able to address the needs of these specialized resources and environments.

To some extent when API-enabling the mainframe, technology can shield the non-mainframe world from these mainframe-specific products and environments, but the greater challenge comes in meeting expectations in terms of unique mainframe attributes. Companies that rely on mainframes for much of their business have come to expect a range of benefits from their mainframe implementations. These benefits accrue in areas like reliability, robustness, scalability, performance, security, integrity and manageability. The problem is that when services are delivered within the API model, client-side components in particular will be running in a wide range of environments and technologies, each with its own associated characteristics. The risk is that for mainframe users used to a high level of service quality based on innate mainframe capabilities, this quality of service could be jeopardized by influence from non-mainframe technologies like phones, tablets and chips sitting inside household appliances or cars. For example, while a mainframe user will typically run their



workstations or other devices in at least a semi-secure environment, a phone user may well leave the phone unattended for a while, quite possibly in a public place. Any tools or technology involved in API-enabling the mainframe must take these sorts of factors into account.

Regarding skills, as discussed above, it is likely to be difficult and expensive to find IT developers who are comfortable programming in both mainframe and mobile environments. Therefore, any toolset for enabling the mainframe should make it easy for mainframe and non-mainframe programmers to quickly create API components and services without the need for expensive and time-consuming re-education. All of these mainframe environment-specific factors must be taken into account in evaluating best-of-breed tools for mainframe API-enablement.

Lessons learned from past mainframe integration projects

The API model has definitely become a major consideration for a growing number of companies across the world. As discussed previously, the API approach has particular attractions for mainframe users. However, past attempts at mainframe integration have typically run into a range of problems, and today there is a much greater understanding of the mainframe-specific issues to take into account before embarking on a business services-based mainframe integration strategy such as API enablement.

A common difficulty stems from a collision between the purist world of the systems architect, and the pragmatic needs of operational service quality. Companies looking to open up the mainframe and leverage it across other environments often see a pure, clean architecture where every business activity is packaged as a business service and all these services exposed through APIs. This is a great ideal, but can be disastrous if implemented without due consideration.

"The API middleware should handle as much of the packaging and managing of the various systems of record components as possible, to keep the APIs presented as simple and easy to use as possible."

The main issue is that, given the number of mainframe transactions in existence, there is a danger this approach will result in a huge number of low-level services being created, for example 'get customer details' or 'check service history'. This may seem very logical, but in reality the danger is this exports design issues to the API developers. An app developer working on a new

phone-based digital marketplace wants to be able to drive a 'product quote' process;;the app developer has to work out which low-level services and what process flow are needed to deliver the final price.






Figure 4: Excessive granularity requires procedural knowledge for the API developers

Contrast the above with a higher level 'Find Customer Details' API below. The consumption of the API has been de-skilled, removing any need for the API developer to have knowledge of internal processes and implementation details.




Figure 5: Getting the granularity right insulates the API developers

Note however that the 'many small services' approach can work if the right API middleware layer is present. If a company chooses to implement a design where every discrete business operation has a corresponding service, the API middleware can perform the necessary orchestration of all the lower level services offered by the systems of record to present the API developer with a simple high-level API. It turns out that the API



middleware is the key to the whole issue, because provided the middleware enables services to be composed into APIs that satisfy the API developer skills and needs, it doesn't really matter whether the packaging of those services is carried out by the middleware alone or combined with other business service initiatives within the mainframe platform such as BPEL or BPM. In short, defining the optimal level of granularity:

- Decouples the API developers from the implementation details of the operation
- Ensures that mainframe APIs meet the business need more closely
- Keeps the number of APIs and related definitions under control
- Reduces the development effort required
- Optimizes performance and network load by limiting the trips to and from the mainframe

In fact, mainframe integration user experiences generally show that a good guideline is to avoid imposing too much of the API model on the mainframe environment. As commented earlier, mainframes are different to other platforms; data is often in proprietary formats, XML is almost never used, the skills set is highly specialized and expectations of performance, scalability and reliability are much higher. Therefore, the key to API enablement success in mainframe environments is to implement only those APIs that are required to achieve company goals. The API middleware should handle as much of the packaging and managing of the various systems of record components as possible, to keep the APIs presented as simple and easy to use as possible.

Mainframe API Middleware

Having set API-mainframe framework, it is possible to focus on the key section of interest, the mainframe-specific API Middleware component. Many API Management vendors include some basic generic API Middleware in their offerings, but the focus here is on the mainframe-specific API Middleware layer.

Development tools for building external API-based solutions for consumer applications are generally independent of whether back-end systems are mainframe-based or not, as discussed earlier. Instead, it is the API middleware that is the critical differentiator for mainframe users. There is a basic set of functions required to enable mainframe API enablement at the purely mechanical level, and then a range of best-of-breed characteristics that can be used as a checklist to judge relevant differentiators in any API middleware selection. In other words, every toolset for API enabling mainframes has to include the basic functionality, but the support for the best-of-breed characteristics will depend on the particular vendor concerned.

Basic functions

At a minimum, API middleware for the mainframe must include the following basic functionality:

- Programmable access to mainframe applications
- Basic orchestration to execute API calls spanning multiple components
- Wrappers / Adapters to provide a standard invocation interface



Essentially, this list covers the ability to present APIs to API solution developers in a reasonably standard way. Regarding programmable access, as mentioned in the previous section the mainframe has specific application environments that control execution of online transactions. The most prevalent is IBM's CICS, used by almost all mainframe customers, and any basic mainframe API middleware toolset must at the very least address the CICS transaction. Modern CICS applications are usually designed in such a way that they can be driven externally through a programmable interface, using the COMMAREA in conjunction with the LINK function to provide input to and execute the particular application. For applications that fall into this category, the API middleware can fairly easily enable them to be driven from outside of CICS. Similarly, IMS TM applications can be driven externally using the IMS resource adapter, enabling them for API usage too.

However, for older applications the access problem is more difficult. These applications were designed to be run from a screen, and terminal handling is built into the application together with the business logic. Screen handling is through the manipulation of 3270 data streams. Again in CICS terms, these programs are often referred to as 'BMS Applications', that is, applications that use the CICS Basic Mapping Service facility to process screen-based menus. In order to bring these applications into the API fold, it is necessary for the API middleware to provide a mechanism to drive them through their built-in screen-based interfaces.

Given that mainframe functions of interest for deployment as APIs are likely to consist of multiple different applications or parts of applications, a basic level of orchestration will also be required in the API middleware. This may be based on some sort of standard, such as BPEL, but it must be able to handle the creation of a process flow to execute the desired API function.

Finally, in order to be open to third party developers and a wide range of API consumer platforms, the API middleware needs to provide a standard invocation structure regardless of where or on what technology platform they are running. For example, this standard form of execution could be through a REST URL-based interface or a WSDL-based web service. But it is up to the API middleware to provide the necessary wrappers or adapters that can bridge from the desired standard interface specification to the required mainframe-oriented access mechanisms such as COMMAREA-based LINKs.

Best-of-Breed Characteristics

With this basic level of functionality, it is possible to API enable at least CICS mainframe applications. However, with just the basic level of API middleware functionality, the task is likely to prove cumbersome, error-prone, and time and resource-intensive, and certainly does not naturally fit with a modern DevOps approach to application development and deployment. In addition, many companies have important mainframe applications running in other environments, such as IMS, IDMS or even batch.

To address the limitations of basic-level API enablement of the mainframe, the API middleware will usually provide a range of other functions and capabilities. These will now be considered as potential best-of-breed characteristics. It is important to recognize that the following characteristics may not all be required by every company looking to API-enable their mainframe environment. Instead, the characteristics are provided as a checklist of functionality that may or may not be required. This allows a company to choose the characteristics relevant to its own requirements when assessing API middleware for the mainframe.



Best-of-breed characteristics will be considered in three main sections:

- Development / Deployment
- Operations
- Flexibility

Development / Deployment

As discussed earlier the issue of mainframe service composition is critical. Mainframe applications, services, data and processes must be able to be packaged into APIs in such a way that they make optimal use of mainframe systems of record without the imposition of unnecessary constraints and technical complexity for the API consumer. Achieving the appropriate granularity ensures that knowledge of internal process and implementation detail is decoupled from use of the API, but there are other factors that need to be taken into account too. In a mainframe environment it is important to be sensitive to local policy on mainframe resource usage. Each communication backwards and forwards between the mainframe and the API consumers will have a significant cost, so the provided APIs need to take that into account as they optimize the granularity. Also, some companies like to keep a very tight rein on the growth of their COBOL libraries, so it may be unsatisfactory for any tool to generate or require new COBOL programs.

Another key point for a best-of-breed tool is to support the two distinct forms of designing and composing APIs with the API middleware layer: bottom-up and top-down. These two design approaches reflect the different points of access to APIs, from the mainframe or distributed worlds. Typically, the bottom-up approach involves the mainframe team looking at the mainframe assets to be exposed, considering the interfaces used such as CICS COMMAREA, and then mapping this up through the API middleware layer to the corresponding APIs. The top-down approach tends to be used when driven from outside of the mainframe. The solution developer looking to leverage mainframe services defines the required systems of record activities and then passes this across to the mainframe team so that the desired service can be composed with the API middleware to package up the specific mainframe application steps. Different organizations will feel most comfortable with different approaches, and therefore support is required in the API middleware for both these design methods.

Some mainframe organizations may have already moved down a web services-based approach to mainframe access. Therefore, API middleware may well need to offer web services support to leverage this investment. Admittedly, web services do provide an overhead, because they are very standards-based and formally structured, and they are not necessarily a good fit in terms of skills requirements to fit within a modern, DevOps-based rapid development environment. But it is that formality that is often valued as a way of ensuring quality of service levels and mitigating risk. The best-of-breed API middleware, then, will provide a mechanism to help mainframe developers to bridge between mainframe and perhaps less well known web services technologies.



Another best-of-breed characteristic will be to reduce coding/code generation, or preferably eliminate it entirely. Although it is obvious that less coding will result in lower costs and faster time-to-value, it is also particularly beneficial in the mainframe case because of the fact that any coding required might well involve such non-mainframe concepts as REST and JSON, where programmer unfamiliarity may lead to a greater potential for error. DevOps support will particularly benefit from minimal coding requirements, enabling rapid API development and deployment. Related to this point, ideally mainframe API middleware should also automate as much of the service creation task as possible on the mainframe so that it can be done quickly, intuitively and without the need for extensive retraining. This will allow mainframe developers to quickly and efficiently create and deploy new or modified services, making the best use of available development resources.

Language support will obviously be another key area of added value. Mainframe applications might be written in COBOL, PL/1, Assembler or even in a higher-level language like Natural. The company API-enabling its mainframe should ensure that any toolset under consideration supports the necessary languages used for its mainframe applications. This support will almost certainly need to encompass tools to map mainframe programming structures such as COBOL copybooks into standards-based formats, using technologies like XML or JSON.

As mentioned earlier, mainframe API middleware must be able to support various types of applications such as CICS COMMAREA and screen-based ones, IMS-based ones and even batch routines. In fact, for many years there has been an active and well-developed aftermarket of vendors supplying a whole range of applications and platforms for the mainframe, and support for the appropriate ones will be an essential requirement for any user embarking on a project to API-enable the mainframe. The middleware may also need to access mainframe data as well as mainframe applications, which would require access to DB2, VSAM, Adabas and other mainframe data sources, preferably under a single SQL-style interface.

Basic orchestration is a fundamental requirement for any API middleware, as already discussed. But this is an area where enormous advantage can be gained by supporting value-added orchestration capabilities. Best-of-breed API middleware needs to make the task of composing mainframe resources and processes as simple and error-free as possible, covering application platforms like CICS and IMS, data sources such as DB2 and VSAM and existing mainframe processes that may already be flowcharted with BPEL or some sort of Business Process Management (BPM) solution. The more automation the API middleware can provide, the less demand will be placed on the API developers and consumers, reducing risk.

All of the best-of-breed areas discussed so far lead to what is likely to be one of the most critical areas of differentiation for mainframe API middleware – ease-of-use. It is quite possible for the API middleware to satisfy the previous requirements but still leave a lot of work for the technical staff to perform. Tools need to be intuitive, with minimal training requirements, and allow both mainframe and distributed programmers to concentrate on composing services of the right level of granularity for use in both environments without the need for expensive third-party services. It is well worth verifying these facts with any prospective supplier before any acquisition is made.



There are a host of functions that belong to the generic API model discussion rather than the mainframe API middleware itself. Examples are partner management services to manage third party API developer partners, sandbox services for rapid development and specific device support. However, although the API middleware does not necessarily need to provide these functions directly, it must offer API ecosystem support. Security and management are key aspects of an API model, especially given the fact that APIs may be being used by third party developers. Most API solutions offer some sort of key system to authorize particular API development partners for what they can and cannot access, and it may be necessary for the API middleware to enforce that level of authorization across the mainframe services being utilized. There will also be a need for material to provide API developers with the necessary information about the APIs supported on the mainframe, in terms of what they do and what inputs and outputs they expect.

An essential part of any development process is testing, and this is another important best-of-breed area for mainframe API middleware toolsets. This relates partly to the skills optimization issue, but also to the nature of APIs. Testing will be very much easier if different components or services can be tested in isolation, rather than having to wait for all the relevant components to be completed and assembled before any testing can occur. A test harness that enables a mainframe developer to test a particular composed operation or its individual parts, creating inputs and outputs to simulate real operations, will be invaluable in terms of reducing time-to-market for new projects and speeding up the overall development process.

Once the new services are developed and composed into APIs for external presentation, the mainframe API middleware toolset will need to provide governance and lifecycle support. This should allow the creation of new APIs to be controlled and managed appropriately, fitting into corporate governance procedures and then passing through development/test/QA/ production-levels to ensure that development, deployment and production operations can be managed safely. Versioning should also be supported, to allow for mainframe services to be updated in flight. Otherwise, there is an increased risk that an unprepared or incorrectly leveled change might enter production, with potentially damaging consequences. A critical issue for mainframe users, where skills are at a premium, is to ensure that APIs can be modified, enhanced and reused as quickly and easily as possible with minimum additional effort.

"The best-of-breed API middleware, then, will provide a mechanism to help mainframe developers to bridge between mainframe and perhaps less well known web services technologies."

Finally, an important aspect of a best-of-breed toolset will be the mainframe expertise of the tool supplier. Although this is not actually a functional requirement, this point reflects the discussion about mainframe values and the need to be sensitive to the special requirements of working in a mainframe environment. In order for the toolset to be usable, effective and efficient, it will be vital that it is created based on an extensive understanding of mainframes. For example, mainframe environments typically have stringent requirements on integrity and recoverability. There are also many operating system functions that will be useful, and in the end the 'look and feel' of the toolset will be important in order to gain acceptance within the mainframe community.



<i>Best of breed characteristic: Development / Deployment</i>	<i>Additional comments</i>
Mainframe-oriented service composition	<ul style="list-style-type: none"> ▪ <i>Developing orchestration flows</i> ▪ <i>Building the right level of API granularity</i> ▪ <i>Optimizing load and resource usage</i>
Bottom-up and top-down service development	<ul style="list-style-type: none"> ▪ <i>Flexibility to choose the API development approach</i>
Support for web services / SOA	<ul style="list-style-type: none"> ▪ <i>For companies already invested in these technologies</i>
Minimal code generation	<ul style="list-style-type: none"> ▪ <i>Providing codeless ways to drive mainframe components</i>
Automation facilities	<ul style="list-style-type: none"> ▪ <i>High degree of automation</i>
Language support	<ul style="list-style-type: none"> ▪ <i>COBOL, PL/I, Natural, ...</i>
Support for additional mainframe resources	<ul style="list-style-type: none"> ▪ <i>CICS, IMS, 3270, Batch...</i> ▪ <i>Other native packages and systems</i> ▪ <i>Adabas, DB2, ...</i>
Added-value orchestration	<ul style="list-style-type: none"> ▪ <i>Spanning all mainframe resource types</i> ▪ <i>Leveraging existing flowcharts and processes</i>
Ease-of-use	<ul style="list-style-type: none"> ▪ <i>Intuitive and efficient</i> ▪ <i>Minimal training requirements</i>
API Ecosystem support	<ul style="list-style-type: none"> ▪ <i>Security and management</i> ▪ <i>Usage information</i> ▪ <i>API invocation details (inputs, outputs etc)</i>
Testing tools	<ul style="list-style-type: none"> ▪ <i>Modelling / testing for individual components</i>
Governance and lifecycle support	<ul style="list-style-type: none"> ▪ <i>Creation, deployment, retirement</i>
Mainframe experience	<ul style="list-style-type: none"> ▪ <i>Vendor-provided experience and skills</i>

Figure 6: Best of breed characteristics – Development/deployment



Operations

At production stage, the wider API ecosystem becomes heavily involved with facilities, usually through some sort of API Management tool. But it is important that best-of-breed mainframe API middleware still maintains a close working relationship with the ecosystem. For example, the middleware needs to ensure that the ecosystem has all the necessary information from the mainframe perspective to function effectively, and there will be mainframe-specific areas where the ecosystem will almost certainly be somewhat blind. In particular, API models where third-party developers are involved often need to support API analytics, accurately measuring and reporting API activity and usage. This is a key component in quality control, helping to identify successful third-party partners and allowing greater usage as confidence grows.

It is important to consider the question of administration, since mainframe and non-mainframe assets need to be managed seamlessly to gain the most advantage from the API model. New APIs need to be implemented, new users need to be authorized for allowed usage, and APIs being replaced may need to be closed out, to mention just a few administrative tasks that need to be addressed. In addition, API execution may span different locations as well as environments, even spreading as far as into partner and other third party-companies. Therefore, the administration capabilities must include remote operations to encompass end-to-end transaction needs. While some of these issues fall within the responsibilities of the ecosystem, the mainframe API middleware needs to support such activities.

Mainframe users are accustomed to a high level of security, and mainframe operations are often mission-critical in nature. These factors combine to create a high level of concern and potential risk when deploying a mainframe-based API, particularly because prized mainframe assets are now made available to the great wide world of tablets, phones and the Internet of Things (IoT). Therefore it is crucial that security is managed carefully, linking up with existing mainframe security facilities in use such as RACF. Security in this sense may need to address all four main areas of authentication, privacy (encryption), integrity and non-repudiation. Once again, this will be primarily the responsibility of the full API ecosystem, but the mainframe API middleware toolset must be secured from unauthorized usage.

The complexities of operating an API model, exacerbated by the use of asynchronous and event-driven modes of operation, create a challenge in understanding what is actually happening in the live, production environment. APIs may be executing and driving activities asynchronously, crossing platform and location boundaries at will, and it can become extremely confusing to the operations staff. The result is that it can be hard to maintain service levels and general responsiveness. The answer is for the API technology to offer some level of monitoring and problem determination capability, and the API middleware has to play a key part in this since it knows which activities are being driven by which APIs. These facilities need to be able to glean information from within the mainframe to be combined with non-mainframe information in order to understand what is happening, and then provide the necessary investigation and action tools, such as service tracing and data flow analysis, to identify and resolve any problems spotted by the monitoring component. Ideally, this functionality should also provide some method for integrating with the enterprise management framework, for example offering an SNMP agent to alert the framework of problems within the wider mainframe environment.



<i>Best of breed characteristic: Operations</i>	<i>Additional comments</i>
API analytics support	<ul style="list-style-type: none"> ▪ <i>Gather usage statistics for individual APIs</i> ▪ <i>Generate reports</i> ▪ <i>Pass analytics information to API ecosystem analytics tools</i>
Administration support for the API ecosystem	<ul style="list-style-type: none"> ▪ <i>Handling mainframe and non-mainframe environments</i> ▪ <i>Bring mainframe APIs online and offline</i> ▪ <i>User management liaison</i> ▪ <i>Remote operations capability</i>
Security	<ul style="list-style-type: none"> ▪ <i>Interoperation with API ecosystem</i> ▪ <i>Authentication, integrity, privacy and non-repudiation functions</i> ▪ <i>Protection of API middleware assets</i>
Monitoring and problem determination	<ul style="list-style-type: none"> ▪ <i>Information sharing with ecosystem tools</i> ▪ <i>Tracking of APIs and their internal flows</i>
Integration with existing management framework	<ul style="list-style-type: none"> ▪ <i>Systems management</i> ▪ <i>Alerts</i> ▪ <i>Resource management</i>

Figure 7: Best of breed characteristics – Operations

Flexibility

The final set of best-of-breed characteristics relates loosely to the flexibility of the toolset to support the mainframe APIs. For some companies, bi-directional support will be critical, allowing API components controlled by the API middleware to drive other APIs that may reside on other systems. Efforts to gain more value from mainframe investments by enabling them to support the API model frequently focus on exposing mainframe resources for outside usage. This will certainly be the mindset of a company that is looking to stabilize mainframe investment. However, many companies have accepted that the mainframe remains a key element of strategic planning for the future. These companies are likely to be very interested in the additional benefits to be obtained by being able to interlink APIs – that is, for mainframe applications to be able to run external APIs as well as the other way around. This ensures that all IT investments are leveraged, not just mainframe ones. This bi-directional capability may require some additional work in the toolset since a way must be provided for a mainframe application to issue API requests.

Another aspect of flexibility relates to where the API middleware runtime processing is carried out. This decision will usually be made based on specific service-level requirements or restrictions. Among other things, the API middleware needs to deal with navigation issues for mainframe applications, such as which CICS program should be called depending on the result of the previous one, and formatting issues like dealing with 3270 data streams when accessing screen-based applications.



Depending on issues such as performance requirements, mainframe capacity and ease of programming, it might be desirable to run all of the API middleware functionality in its own mainframe address space or within an existing mainframe environment such as CICS or IMS. Alternatively, it might be desirable for some or all of these activities to take place within a mainframe speciality engine, to reduce costs and improve performance and scalability, or even outside the mainframe altogether, perhaps in a distributed server, appliance or the Cloud. Having said that though, it is highly likely that orchestration should be restricted to the mainframe to avoid having to expose mainframe-specific processes and procedures to non-mainframe professionals. Whatever combination works best for the user, it is clear that a best-of-breed mainframe API middleware toolset will need to support this choice of processing location.

As just touched on, support for different processing locations and the previously discussed monitoring support are important factors in another area of consideration for best-of-breed mainframe API middleware toolsets - that is, scalability and performance. As well as these areas, the toolset will probably need to provide some level of statistics reporting capability to allow effective capacity planning and load management and to provide proper governance of third-party API developers. In addition, when running in a mode where most of the API processing is carried out on the mainframe, the mainframe API middleware toolset should exploit native mainframe high-performance options

<i>Best of breed characteristic: Flexibility</i>	<i>Additional comments</i>
Bi-directional support	<ul style="list-style-type: none"> ■ <i>Mainframe access to external APIs</i> ■ <i>API access to mainframes</i> ■ <i>API access across mainframes</i>
Choice of processing location	<ul style="list-style-type: none"> ■ <i>Inside CICS</i> ■ <i>Outside CICS but on the mainframe</i> ■ <i>Making use of speciality engines</i> ■ <i>Off the mainframe, on distributed servers, appliances or in the Cloud</i>
Performance / Scalability	<ul style="list-style-type: none"> ■ <i>Ability to choose processing location based on performance/scalability needs</i> ■ <i>Statistics on services usage for capacity planning purposes</i>
Exploit native mainframe high-performance options	<ul style="list-style-type: none"> ■ <i>Leverage mainframe-specific optimization technologies</i>

Figure 8: Best of breed characteristics - Flexibility



Summary

For many companies, mainframes remain a key asset for the foreseeable future. As these companies strive to deliver increased business value from their IT investments, opening up the mainframe becomes a major focus. The API model and its related toolsets offer a way not only to extend the life of the mainframe, but also to ensure that it continues to play a valued role in driving the business forwards. Breaking down the barriers between the mainframe and the rest of the IT world ensures that investments can be made wherever they make the most sense.

But success or failure with mainframes in the API world will be governed to a large extent by the effectiveness of the tools to support mainframe API enablement combined with a disciplined focus on delivering the right mainframe-based APIs for the right solutions. Generic API middleware tools developed without considering special mainframe needs will not do the job effectively. Instead, companies need to look for toolsets that are specifically oriented to the mainframe, taking account of architectural, development, deployment and operational needs.

All mainframe companies will have their own specific requirements and hot buttons, and these will affect the selection of the most appropriate tools. The best-of-breed characteristics presented in this paper are intended to provide a checklist that companies can evaluate against their own requirements, and then against the toolsets offered by the various suppliers. Some of these characteristics address purely functional needs, while others have implications for wider critical aspects of mainframe API initiatives, such as skills requirements, security and manageability. However, the goal remains to ensure that companies end up with the API middleware best designed to ensure the success of their own mainframe API initiatives.

Adaptigent empowers organizations to unlock the potential of their core systems to enable enterprise-level innovation. The company's products, led by Adaptive Integration Fabric, help IT organizations provide real-time, business-ready results by creating a dynamic, no-code layer that allows modern applications to access the full treasure trove of data trapped on legacy systems. Built on a 35+ year history of digital transformation expertise, it is trusted by many of the world's largest companies – Credit Suisse, AXA, Lockheed Martin and Caterpillar – to accelerate their IT modernization efforts.